

The performance of schools in the September 2013 Certified Plant Mechanic Licensure Examination in alphabetical order as per R.A. 8981 otherwise known as PRC Modernization Act of 2000 Section 7(m) "To monitor the performance of schools in licensure examinations and publish the results thereof in a newspaper of national circulation" is as follows:

SEPTEMBER 2013 CERTIFIED PLANT MECHANIC LICENSURE EXAMINATION PERFORMANCE OF SCHOOLS IN ALPHABETICAL ORDER

SEQ. NO.	SCHOOL	FIRST TIMERS				REPEATERS				OVERALL PERFORMANCE			
		PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED
1	BATANGAS STATE UNIVERSITY-BATANGAS CITY (PBMIT)	2	1	3	66.67%	0	0	0	0.00%	2	1	3	66.67%
2	BICOL UNIVERSITY IND'L TECH.(BUCIT)-LEGAZPI	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
3	CAMARINES SUR POLYTECHNIC COLLEGE-NABUA	10	3	13	76.92%	0	0	0	0.00%	10	3	13	76.92%
4	DON BOSCO COLLEGE SEMINARY-LAGUNA	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
5	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY	0	0	0	0.00%	0	1	1	0.00%	0	1	1	0.00%
6	FAR EASTERN UNIVERSITY-MANILA	0	0	0	0.00%	0	1	1	0.00%	0	1	1	0.00%
7	GUZMAN INSTITUTE OF TECHNOLOGY	0	0	0	0.00%	0	1	1	0.00%	0	1	1	0.00%
8	MANUEL L. QUEZON UNIVERSITY	0	2	2	0.00%	0	1	1	0.00%	0	3	3	0.00%
9	MINDANAO POLYTECHNIC STATE COLLEGE (DMMMPSC)	0	1	1	0.00%	0	1	1	0.00%	0	2	2	0.00%
10	MINDANAO STATE UNIVERSITY-ILIGAN INSTITUTE OF TECHNOLOGY	1	0	1	100.00%	0	1	1	0.00%	1	1	2	50.00%
11	MINDANAO UNIVERSITY OF SCIENCE & TECHNOLOGY-CDO	11	6	17	64.71%	1	0	1	100.00%	12	6	18	66.67%
12	MINDANAO UNIVERSITY OF SCIENCE AND TECHNOLOGY	2	0	2	100.00%	0	0	0	0.00%	2	0	2	100.00%
13	SAINT JOSEPH INSTITUTE OF TECHNOLOGY	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
14	SOUTHERN LEYTE STATE UNIVERSITY (SLSCST)-SOGOD	1	0	1	100.00%	0	0	0	0.00%	1	0	1	100.00%
15	TECHNICAL SCHOOL	1	0	1	100.00%	1	1	2	50.00%	2	1	3	66.67%
16	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA	0	0	0	0.00%	0	2	2	0.00%	0	2	2	0.00%
17	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-CAVITE	0	0	0	0.00%	0	2	2	0.00%	0	2	2	0.00%
18	TECHNOLOGICAL UNIVERSITY OF THE PHILIPPINES-TAGUIG	0	2	2	0.00%	0	0	0	0.00%	0	2	2	0.00%
19	UNIVERSITY OF PERPETUAL HELP SYSTEM DALTA-LAS PINAS	0	0	0	0.00%	0	1	1	0.00%	0	1	1	0.00%
20	UNIVERSITY OF SOUTHEASTERN PHILIPPINES-DAVAO CITY	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
21	VOCATIONAL SCHOOL	0	0	0	0.00%	0	1	1	0.00%	0	1	1	0.00%
OVERALL TOTAL		28	19	47	59.57%	2	13	15	13.33%	30	32	62	48.39%

xxxxxxxxx NOTHING FOLLOWS xxxxxxxxxxx

Any discrepancy in the report is not intentional on the part of the Commission, but rather due to miscoding of school codes by the examinees themselves. Concerned schools may write the Commission for correction.